


Find the Right Size Breaker for You

Skid Steer
Mini
Excavator

Tractor
Loader
Backhoe

Excavator Breakers



SMALL BREAKERS



HP 200



HP 350



HP 500

Operating
Weight

230 lbs	104 kg
---------	--------

Carrier
Weight Min

1,550 lbs	703 kg
-----------	--------

Operating
Weight

360 lbs	163 kg
---------	--------

Carrier
Weight Min

3,100 lbs	1,406 kg
-----------	----------

Operating
Weight

510 lbs	231 kg
---------	--------

Carrier
Weight Min

3,750 lbs	1,701 kg
-----------	----------

Carrier	6,600	2,994
Weight Max	lbs	kg
Tool	1.80 in	46
Diameter		mm
Hydraulic	4-11	15-42
Flow	g/m	lpm
Pressure to Breaker	1550-1800 psi	107 bar
Impact Frequency	540-2,040 bpm	
Energy Class	200	

Carrier	11,000	4,990
Weight Max	lbs	kg
Tool	1.90 in	48
Diameter		mm
Hydraulic	7-12	26-45
Flow	g/m	lpm
Pressure to Breaker	1550-1800 psi	107 bar
Impact Frequency	700-1,800 bpm	
Energy Class	350	

Carrier	14,300	6,486
Weight Max	lbs	kg
Tool	2.25 in	57
Diameter		mm
Hydraulic	8-16	30-61
Flow	g/m	lpm
Pressure to Breaker	1550-1800 psi	107 bar
Impact Frequency	540-1,540 bpm	
Energy Class	500	

HP 750



HP 1000



Operating Weight	710 lbs	322 kg
Carrier Weight Min	6,650 lbs	3,016 kg
Carrier Weight Max	17,600 lbs	7,983 kg
Tool Diameter	2.70 in	69 mm

Operating Weight	860 lbs	390 kg
Carrier Weight Min	7,750 lbs	3,515 kg
Carrier Weight Max	23,100 lbs	10,478 kg
Tool Diameter	3.00 in	76 mm

Hydraulic	14-22	53-83	Hydraulic	14-24	53-91
Flow	g/m	lpm	Flow	g/m	lpm
Pressure to	1550-	107	Pressure to	1550-	107
Breaker	1950 psi	bar	Breaker	2050 psi	bar
Impact	780-1,620 bpm		Impact	600-1,340 bpm	
Frequency			Frequency		
Energy Class	750		Energy Class	1,000	

MEDIUM
BREAKERS



LARGE
BREAKERS

