Dynapac DFP9 Plate compactors





Technical data

ŝ,	Masses	
	Basic mass	198 lbs
	Operating mass (CE)	201 lbs
0	Propulsion	
	Max. gradeability	30 %
	Max. working speed	82 fpm
	Compaction	
	Frequency	5,400 vpm
	Centrifugal force (front/rear)	4,047 lbs
	Amplitude (front/rear)	0.048 in

Manufacturer/Model	Honda GX 160
Emissions according to	CARB Phase III
Туре	Air cooled gasoline
Number of cylinders	1
Fuel consumption /h, avg.	0.30 gal
Fuel tank capacity	0.8 gal
Power	4.8 hp at 3600 rpm
Water tank capacity	1.9 gal
C () Drive system	
Drive system	Mechanical

Find us locally at <u>www.dynapac.us</u>

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines. The above information is a general description only, all informations are supplied without liability.

DYNAPAC

Dynapac DFP9 Plate compactors

Technical data



Dimensions	
H. Height	21.1 in
H1. Height	36.0 in
L. Length	43.9 in
L1. Length	22.0 in
W. Basic plate width	17.7 in



Standard equipment

- Base plate in highly wear resistant material
 Foldable steering handle with vibration insulation
 Detachable steering handle

- Automatic shutdown at low oil level
 V-belt protection cover
 Recoil starter
- Carrying handles
- One point lift



- Comfort handle
- Water sprinkler system (+22 lbs) Transport wheels (8.8 lbs)
- Plastic mat
 Service Kit

Find us locally at www.dynapac.us

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines. The above information is a general description only, all informations are supplied without liability.